

Internal pharmacy equipment range

Optistock® mobile and fixed shelving system

The OptiStock® range has been designed for back-up storage of sterile or non-sterile materials, which are either packed or unpacked.

This range is used in all wards (including internal pharmacies), but particularly for CSSD and operating theatre due to its unique features concerning hygiene.

It enables the ideal configuration to suit the management methods currently applied in healthcare establishments, such as allocation or KanBan.

Photos non contractuelles



Hygienic



Ergonomic

Strong points

- ▶ Removable and reversible guides
- ▶ Products are available on both sides
- ▶ Many available models: 400, 600, 1000 and 1200 faces
- ▶ Resistance: 200 kg / frame

Internal pharmacy equipment range

Optistock® mobile and fixed shelving system


Optistock® structures

- ▶ Epoxy welded steel structure with fixing parts and posts
- ▶ Ø 100 mm wheels, 2 with brake (for mobile model)
- ▶ Load resistance: 200 kg / frame (resistance can be different according to the equipment in the structure)
- ▶ U-shaped posts with rounded grooves
- ▶ 1 available colour: pop blue

Fixed structures

Description	Main structure	Additional structure
600 x 400	8A700	8A705
400 x 600	8A710	8A715
1000 x 400	8A720	8A725
1200 x 400	8A740	8A745
1200 x 600	8A750	–


The fixed Optistock structures which are more than, 1200 mm long are delivered dismantled.



Mobile structures

Description	Main structure	Additional structure
Simple 600 x 400	8A701	–
Simple 400 x 600	8A711	–
Triple 600 x 400	8A703	–
Triple 400 x 600	8A713	–
Double 400 x 600	8A702	–
Double 600 x 400	8A741	–
Simple 1000 x 400	8A721	8A722
Simple 1200 x 400	8A741	8A742
Simple 1200 x 600	8A751	–

Don't join more than 3 mobile structures.
For more, better use the fixed models.



Internal pharmacy equipment range

Optistock® mobile and fixed shelving system

Optistock® trolleys

Structure

- ▶ Epoxy welded steel structure with fixing parts and posts
- ▶ Ø 125 mm wheels
- ▶ Capacity: 20 levels
- ▶ 2 handles
- ▶ Load resistance: 200 kg / frame (resistance can be different according to the equipment in the structure)
- ▶ 1 available colour: pop blue



Description	Dimensions (in mm)	Reference
Trolley, single F600 - D400 with top cover 1F600	L. 730 x D. 490 x H. 1630	8A761
Trolley, double F600 - D400 with top cover 2F600	L. 1372 x D. 490 x H. 1630	8A762
Trolley, single F400 - D600 with top cover 1F400	L. 531 x D. 690 x H. 1630	8A771
Trolley, double F400 - D600 with top cover 2F400	L. 976 x D. 690 x H. 1630	8A772

Equipments

Description	Reference
Vertical handle, 260 mm between axles	8A709
Single cladding throughout F600 F600 - D400 - pop blue	8A727
Double cladding throughout F600 F600 - D400 - pop blue	8A728
Single cladding throughout F400 F400 - D600 - pop blue	8A737
Double cladding throughout F400 F400 - D600 - pop blue	8A738

Arrangement of structures

1 Fixed shelves

Description	Dimensions (in mm)	Reference
Fixed shelf F600 - D600 - grey epoxy coating	L. 400 x D. 600	8A666
Fixed shelf F600 - D400 - grey epoxy coating	L. 600 x D. 400	8A660
Fixed shelf F600 - D600 - grey epoxy coating	L. 1000 x D. 600	8A667
Fixed shelf F600 - D400 - grey epoxy coating	L. 1000 x D. 400	8A661
Fixed shelf F1200 - D400 - grey epoxy coating	L. 1200 x D. 400	8A662
Fixed shelf F1200 - D600 - grey epoxy coating	L. 1200 x D. 600	8A668
Compact shelf for frontage 600 or 400		8A600
Separator for shelves D400	D. 400	8A658
Separator for shelves D600	D. 600	8A659

2 Tilted recessed shelves

Description	Dimensions (in mm)	Reference
Tilted recessed shelf F400 - D600 - H. 60 - grey epoxy coating	L. 400 x D. 600 x H. 60	8A669
Tilted recessed shelf F600 - D400 - H. 60 - grey epoxy coating	L. 600 x D. 400 x H. 60	8A663
Tilted recessed shelf F1000 - D600 - H. 60 - grey epoxy coating	L. 1000 x D. 600 x H. 60	8A670
Tilted recessed shelf F1000 - D400 - H. 60 - grey epoxy coating	L. 1000 x D. 400 x H. 60	8A664
Tilted recessed shelf F1200 - D400 - H. 60 - grey epoxy coating	L. 1200 x D. 400 x H. 60	8A665
Tilted recessed shelf F1200 - D600 - H. 60 - grey epoxy coating	L. 1200 x D. 600 x H. 60	8A671
Separator D. 400 for tilted shelves	D. 400	8A684
Separator D. 600 for tilted shelves	D. 600	8A687

Internal pharmacy equipment range

Optistock® mobile and fixed shelving system

3 Telescopic shelves

Description	Dimensions (in mm)	Reference
Telescopic shelf - grey epoxy coating	L. 400 x P. 600	8A672
Telescopic shelf - grey epoxy coating	L. 600 x P. 400	8A675
Telescopic shelf - grey epoxy coating	L. 1000 x P. 600	8A673
Telescopic shelf - grey epoxy coating	L. 1000 x P. 400	8A676
Telescopic shelf - grey epoxy coating	L. 1200 x P. 600	8A674
Telescopic shelf - grey epoxy coating	L. 1200 x P. 400	8A677

Drawers and divider kits

Description	Dimensions (in mm)	Reference
Telescopic drawer - grey epoxy coating	L. 1200 x D. 400 x H. 60	8A680
Divider kit - 3 x 4		8A680_3X4
Divider kit - 9 x 1		8A680_9X1
Telescopic drawer - grey epoxy coating	L. 1200 x D. 600 x H. 60	8A683
Divider kit - 6 x 4		8A683_6X4
Divider kit - 9 x 1		8A683_9X1

Slide rails

Description	Dimensions (in mm)	Reference
Pair of universal horizontal slide rails	D. 400	8A651
Pair of universal horizontal slide rails	D. 600	8A652
Pair of tilted slide rails for 600 mm wide front	D. 400	77014
Pair of tilted slide rails for 400 mm wide front	D. 600	77016

Telescopic frames

Description	Dimensions (in mm)	Reference
Cadre télescopique	L. 600 x P. 400	8A699
Cadre télescopique	L. 600 x P. 400	8A649



The fixed horizontal shelves which are located in the upper and lower parts are used as ceiling and ground.

